

Rolle selbstklebend
LED STRIP 14,4W



14.4
W/m

Power

up to
1122
lm/m

Lumen Output



2700K
3200K
4000K
6000K

CCT



Product Information	LED/m	60 LED/m
	Power/m	14.4 W/m
	Input Voltage	DC 24 V
	Input Current	0.6A/m
	Cutable Length	6 LEDs (100mm)
	Reel Length	5 meter
	Width	8 mm
	Max. Connection Length	7.5 m

Photometric Information	CCT (K)	2700K	3200K	4000K	6000K
	Lumen/m	1040lm	1065lm	1096lm	1122lm
	CRI (Ra)	>80Ra	>80Ra	>80Ra	>80Ra
	Beam Angle	120°	120°	120°	120°



* It is advised to supply the LED strip with 20% extra power.
 Only use strips in combination with a suitable aluminium profile.

Accessories	Inclusive			Exclusive (On Request)	
	NO.	Description	Quantity	Article No.	Description
	1.	3M tape	5m / reel		LED drivers CV and controllers
	2.	Live end with cable	1		LED profile
	3.	Dead end with cable	1		

Product Name	CCT(K)	CRI(Ra)	Lumen	Power	Voltage	Cutable Length	Reel Length
LED strip warm white 60LED/m 14.4W/m	2700K	>80Ra	1040 lm/m	14.4 W/m	24 V	6 LEDs (100mm)	5 meter
LED strip warm white 60LED/m 14.4W/m	3200K	>80Ra	1065 lm/m	14.4 W/m	24 V	6 LEDs (100mm)	5 meter
LED strip natural white 60LED/m 14.4W/m	4000K	>80Ra	1096 lm/m	14.4 W/m	24 V	6 LEDs (100mm)	5 meter
LED strip cool white 60LED/m 14.4W/m	6000K	>80Ra	1122 lm/m	14.4 W/m	24 V	6 LEDs (100mm)	5 meter

Rolle selbstklebend

LED STRIP DOUBLE 14,4W

object & store.
RETAIL LIGHTING SOLUTIONS



doppelt soviel LED's /m

14.4
W/m
Power



up to **1224**
lm/m
Lumen Output

2700K
3200K
4000K
6000K
CCT



Product Information	LED/m	120 LED/m
	Power/m	14.4 W/m
	Input Voltage	DC 24 V
	Input Current	0.6A/m
	Cutable Length	6 LEDs (50mm)
	Reel Length	5 meter
	Width	8 mm
	Max. Connection Length	7.5 m

Photometric Information	CCT (K)	2700K	3200K	4000K	6000K
	Lumen/m	1137lm	1162lm	1198lm	1224lm
	CRI (Ra)	>80Ra	>80Ra	>80Ra	>80Ra
	Beam Angle	120°	120°	120°	120°



* It is advised to supply the LED strip with 20% extra power.
Only use strips in combination with a suitable aluminium profile.


Accessories	Inclusive			Exclusive (On Request)	
	NO.	Description	Quantity	Article No.	Description
	1.	3M tape	5m / reel		LED drivers CV and controllers
	2.	Live end with cable	1		LED profile
	3.	Dead end with cable	1		

Article Number	Product Name	CCT(K)	CRI(Ra)	Lumen	Power	Voltage	Cutable Length	Reel Length
LED strip	warm white 120LED/m 14.4W/m	2700K	>80Ra	1137 lm/m	14.4 W/m	24 V	6 LEDs (50mm)	5 meter
LED strip	warm white 120LED/m 14.4W/m	3200K	>80Ra	1162 lm/m	14.4 W/m	24 V	6 LEDs (50mm)	5 meter
LED strip	natural white 120LED/m 14.4W/m	4000K	>80Ra	1198 lm/m	14.4 W/m	24 V	6 LEDs (50mm)	5 meter
LED strip	cool white 120LED/m 14.4W/m	6000K	>80Ra	1224 lm/m	14.4 W/m	24 V	6 LEDs (50mm)	5 meter

Rolle selbstklebend

LED STRIP DOUBLE 28,8W

object & store.
RETAIL LIGHTING SOLUTIONS



28.8
W/m
Power



up to
2244
lm/m
Lumen Output

2700K
3200K
4000K
6000K
CCT



Product Information	LED/m	120 LED/m
	Power/m	28.8 W/m
	Input Voltage	DC 24 V
	Input Current	1.2A/m
	Cuttable Length	6 LEDs (50mm)
	Reel Length	5 meter
	Width	8 mm
	Max. Connection Length	5 m

Photometric Information	CCT (K)	2700K	3200K	4000K	6000K
	Lumen/m	2085lm	2131lm	2198lm	2244lm
	CRI (Ra)	>80Ra	>80Ra	>80Ra	>80Ra
	Beam Angle	120°	120°	120°	120°



* It is advised to supply the LED strip with 20% extra power.
Only use strips in combination with a suitable aluminium profile.


Accessories	Inclusive			Exclusive (On Request)	
	NO.	Description	Quantity	Article No.	Description
	1.	Thermal tape	5m / reel		LED drivers CV and controllers
	2.	Live end with cable	1		LED profile
	3.	Dead end with cable	1		

	Product Name	CCT(K)	CRI(Ra)	Lumen	Power	Voltage	Cuttable Length	Reel Length
LED strip	warm white 120LED/m 28.8W/m	2700K	>80Ra	2085 lm/m	28.8 W/m	24 V	6 LEDs (50mm)	5 meter
LED strip	warm white 120LED/m 28.8W/m	3200K	>80Ra	2131 lm/m	28.8 W/m	24 V	6 LEDs (50mm)	5 meter
LED strip	natural white 120LED/m 28.8W/m	4000K	>80Ra	2198 lm/m	28.8 W/m	24 V	6 LEDs (50mm)	5 meter
LED strip	cool white 120LED/m 28.8W/m	6000K	>80Ra	2244 lm/m	28.8 W/m	24 V	6 LEDs (50mm)	5 meter


Rolle selbstklebend
LED STRIP 7,2W



Product Information	LED/m	60 LED/m
	Power/m	7.2 W/m
	Input Voltage	DC 24 V
	Input Current	0.3A/m
	Cutable Length	6 LEDs (100mm)
	Reel Length	5 meter
	Width	8 mm
	Max. Connection Length	10 m



Photometric Information	CCT (K)	2700K	3200K	4000K	6000K
	Lumen/m	566lm	581lm	596lm	612lm
	CRI (Ra)	>80Ra	>80Ra	>80Ra	>80Ra
	Beam Angle	120 °	120 °	120 °	120 °



* It is advised to supply the LED strip with 20% extra power.
 Only use strips in combination with a suitable aluminium profile.

Accessories	Inclusive			Exclusive (On Request)	
	NO.	Description	Quantity	Article No.	Description
	1.	3M tape	5m / reel		LED drivers CV and controllers
	2.	Live end with cable	1		LED profile
	3.	Dead end with cable	1		

Article Number	Product Name	CCT(K)	CRI(Ra)	Lumen	Power	Voltage	Cutable Length	Reel Length
LED	warm white 60LED/m 7.2W/m	2700K	>80Ra	566 lm/m	7.2 W/m	24 V	6 LEDs (100mm)	5 meter
LED	warm white 60LED/m 7.2W/m	3200K	>80Ra	581 lm/m	7.2 W/m	24 V	6 LEDs (100mm)	5 meter
LED	natural white 60LED/m 7.2W/m	4000K	>80Ra	596 lm/m	7.2 W/m	24 V	6 LEDs (100mm)	5 meter
LED	cool white 60LED/m 7.2W/m	6000K	>80Ra	612 lm/m	7.2 W/m	24 V	6 LEDs (100mm)	5 meter